

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Cons

Constantin Bulucea and Rebecca Rossen

Assignee:

Siliconix Incorporated

Title:

TRENCH DMOS POWER TRANSISTOR WITH FIELD-SHAPING

PROFILE AND THREE-DIMENSIONAL GEOMETRY

Serial No.:

08/086,976

Filed: 7/2/93

Examiner:

J. Carroll

Group Art Unit: 2508

Attorney Docket No.: M-799-2D US

San Jose, California March 17, 1994

COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D. C. 20231

RECEIVED

APR 0 7 1994

Declaration of Constantin Bulucea GROUP 2500

Sir:

- I, Constantin Bulucea, hereby declare:
- 1. I am an inventor of claims 17-29 of the abovementioned Application and inventor of the subject matter described and claimed therein (collectively, the "Subject Matter").
- 2. I conceived the Subject Matter prior to August 24, 1988. In support of my conception date prior to August 24, 1988, I enclose Exhibit A, which includes Figures 1-10 and 21-31A of the above-mentioned Application. Exhibit A, which shows the Subject Matter and bears the signatures of Messr. Richard K. Williams and Randolph D. Mah, are signed respectively on August 10, 1988 and August 11, 1988 in my presence.
- 3. Between August 11, 1988 and October 3, 1988, I worked with Mr. Lorimer K. Hill, then Patent Coordinator of Siliconix Incorporated, to obtain Siliconix's approval for an application for patent. As evidence of this effort, I enclose a letter (Exhibit B) from Mr. Hill to Mr. Paul Winters, a partner of the law firm Skjerven, Morrill, MacPherson Franklin and Friel

Law Offices of Skierven, Morrill, Machierson, Franklin A Frikl

25 METRO DRIVE SUITE 700 SAN JOSE, CA 95110 (400) 283-1222 PAX (400) 283-1233 ("Skjerven Morrill"), instructing Mr. Winters to prepare an application for patent in the United States.

- 3. Between October 3, 1988 and December 27, 1988, I worked diligently with my attorney Mr. John F. Schipper, who was then associated with Skjerven Morrill, to prepare a patent application. The patent application became U.S. Patent Application, serial no. 07/290,546, filed on December 27, 1988, issued on December 10, 1991 as U.S. Patent 5,072,266, from which the parent Application (serial no. 07/762,103, filed on 9/18/91) of the present Application based priority under 35 U.S.C. § 120.
- 4. I did not abandon the Subject Matter at any time between my conception of the Subject Matter and December 27, 1988.

Respectfully submitted,

MAR 1 7 1994

Constantin Bulucea

Date of Signature

Attorney or Applicant(s)

Law offices of Bejerven, Morrill., MacPherson, Franklin & Friel

25 METRO DRIVE SUITE 700 EAN IOSE, CA 95110 (406) 283-1223 RAX (408) 283-1233

EXHIBIT A

#0




Figure 1

Cross-section of a trenched DMOS power transistor cell (prior art, /1,2/).

read and understood Row KWH August 10, 1988
read and understood Ramble D. Meh August 11, 1988

Figure 2,a

"Open-cell" implementation of a trenched DMOS power transistor (CALMA hard copy, active region). Siliconix, Inc., 1987.

read + understood QX WHD August 10,1988
read and understand Randofu D. Med August 11,1988

(England






Figure 2,b

"Closed-cell" implementation of a trenched DMOS power transistor (CALMA hard copy, active region).
Siliconix, Inc., 1987.

read + understand Collings to the August 10, 1988 rend and understand Rankful such August 4,1888



rend a and ...t. I August 10,1988
rend and conditions Agreet 11, 1988 Parlet D. M.



read a unlea, t. I Q KWH August 10, 1988 read and contents Partoge D. Lee August 11, 1988




Figure 4

Qualitative description of the electric-field structure in a trenched DMOS transistor having no deep-body profile provision. BVDSS biasing, source junction omitted.

read or under, tool OKWH tugast 10, 1988 real and understood Roulded D. M. August 11, 1988

POTENTIAL (dV=5V) AND FIELD LINES, VD=50V, D10 DEEP-BODY Distance (Microns) EPI TRAN-SITION = BREAKDOWN AREA 08 BV = 68 V, SURFACE 1.00 2.00 3.00 4.00 5.00 6.00 Distance (Microns)

Figure 5

2-D computer simulation of the BVDSS operation of a trenched DMOS transistor having the deep body junction shallower than the trench.

Drain breakdown takes place beneath the trench surface.

read a maderita de Que Kuth August 10, 1988 1 cel el mental Rachel D. Cel August 14/1881





Figure 6

Junction and depletion-region topology of a planar DMOS transistor biased in the BVDSS condition.

real + about QXVIII August 10,1488 real ist indepotent Rabel D. rel. August 4,1888

2-D OXIDATION SQUARE-CELL DESIGN



Qualitative description of the oxide profile at a rectangular trench intersection.

rend at understand Dell Del August 19,1988
rend at understand Dall Del August 1,1988





Figure 8
3-D representation of the optimized trenched DMOS transistor cell proposed in this Patent Application.

real of white Rahled led August 11,1988



deff = strong (eve) function; =

Ref = AEC


Figure 9

2-D computer simulation of the BVDSS operation of a trenched DMOS transistor having the deep body junction deeper than the trench.

Drain breakdown takes place in the bulk.

real al understood Rabble Dhe supert 4, 1988

"BLACK SILICON" COMPARISON



INTERSECTION AREA = b²

TRENCH

SQUARE CELLS

HEXAGONAL CELLS

Figure 10

Comparison of the "black silicon" areas at trench intersections: square cell (left) versus hexagonal cell (right).

6/88

read + under, t. I QLWA Agent 10, 1468 read ademberation Partiel Del Argust 11, 1986

"BLACK SILICON"




Fig. 21


read and indenstand QKWHI August 10,1988 Veal and understand Randolph & les August 11, 1988

2 13 123 ► MASK 1 = DEEP BODY FINE BORON IMPLANT & DIFFUSION / OXIDATION FINE **ACTIVE REGION ACTIVE REGION** <u></u> + + 5 C **TERMINATION REGION TERMINATION REGION** 7-MASK TDMOS - PROCESSING BLOCK 1 F19.22A td ta 279 n/n + EP! POST-EP! OXIDATION 30 MASK 1 = DEEP BODY MASK 1 = DEEP BODY X1' - X2' X1 - X2

53


read and understood C2KWH August 10, 1988 read and understood Raddel Del August 1, 1888

■ MASK 2 = ACTIVE BORON IMPLANT & DIFFUSION / OXIDATION PARSENIC IMPLANT & DIFFUSION / OXIDATION → LTO DEPOSITION 7-MASK TDMOS-PROCESSING BLOCK 2



rend & under stind QK WH August 10, 1988 real and unienteral Parlight Del August 11, 1988


7-MASK TDMOS – PROCESSING BLOCK 3



real + under stood @ KWHA August 10, 1988
real and culinton Frankly D cel August 11,1988


7-MASK TDMOS—PROCESSING BLOCK 4


SACRIFICIAL OXIDATION & ETCHING - GATE OXIDATION -



read a understood QXWA August 10, 1988 rend and contenstoons Radaha eel August 11, 1908


► OXIDATION (ETCH STOP) ■ 7-MASK TDMOS-PROCESSING BLOCK 5 FIRST POLY DEPOSITION & PHOSPHORUS DOPING






read a understand DKWIII August 10,1988 read and understand Denlogh D. Leel August 4, 1988 7-MASK TDMOS—PROCESSING BLOCK 6

SECOND (UNDOPED) POLY DEPOSITION



real and understood Raulofil D. Leh August 1, 1988


7-MASK TDMOS—PROCESSING BLOCK 7
POLY PLANARIZATION ETCHING FOR ETCH-STOP-OXIDE STRIP




read at understand Paulol Dill August 10, 1988
read and understand Paulol Dill August 11, 1988

7-MASK TDMOS—PROCESSING BLOCK 8

MASK 7 = POLY



rend and understand Raulage a red Agent 10, 1988
rend and understand Raulage a red Agent 11, 1988



red a mid., t. I Qe Wills toget 10, 1988 red al culistood Parlel D. W. August 11, 1488

ACTIVE REGIÓN ACTIVE REGIÓN ► ELECTRICAL CHECK **+** TERMINATION REGION 36 b TERMINATION REGION MASKS = METAL METAL ALLOYING 7-MASK TDMOS-PROCESSING BLOCK 10 p.p+ p, p+ F.9. 31 A 130 td td ► ALUMINUM DEPOSITION MASK 9 = METAL MASK 9 = METAL X1' - X2' X1 - X2

73 34

red and interstant Radolph Quel Arout 1, 1988



RECEIVED

OCT - 5 1988

SKUERVEN, MORRILL. MacPHERSON

X

Siliconix incorporated

2201 Laurelwood Road Santa Clara, CA 95054 (408) 988-8000 TWX: 910-338-0227

Mr. Paul J. Winters Skjerven, Morrill, MacPherson, Franklin & Friel 3600 Pruneridge, Suite 100 Santa Clara, California 95051

Reference:

Disclosure of Invention for TRENCHED DMOS POWER TRANSISTORS WITH

OPTIMIZED DEEP-BODY PROFILE AND THREE-DIMENSIONAL GEOMETRY

Inventors: Constantin Bulucea and Rebecca Rossen

Dear Paul:

Please prepare a patent application for this invention for filing in the United States.

You will note that Constantin Bulucea has not specified his citizenship on the Invention Disclosure Form, but has shown his U.S. Resident Alien Number. He was born in Romania, but he says he is no longer Romanian.

Your files M-300, M-300/1, M-300/2, and M-584 may relate to this invention.

Very truly yours,

Siliconix incorporated

Lorimer K. Hill Patent Coordinator RECEIVED

APR 0 7 1994

GROUP 2500

Enclosure:

Disclosure of Invention, dtd 11Aug88, 41 pp.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS	·		
IMAGE CUT OFF AT TOP, BOTT	OM OR SIDES		
☐ BLURRED OR ILLEGIBLE TEXT	OR DRAWING		
☐ SKEWED/SLANTED IMAGES			
☐ COLOR OR BLACK AND WHITE	PHOTOGRAPHS		
☐ GRAY SCALE DOCUMENTS	100 mm		· · · · · · · · · · · · · · · · · · ·
LINES OR MARKS ON ORIGINAL	L DOCUMENT		
REFERENCE(S) OR EXHIBIT(S)	SUBMITTED ARE F	OOR QUAL	JTY
U OTHER:			* . *

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.